



- [Rackmount Chassis](#)
- [Server/Workstation Chassis](#)
- [Mini ITX Chassis](#)
- [Value Added Chassis](#)
- [Entry Level Chassis](#)
- [Mid. Range Chassis](#)
- [High End Chassis](#)
- [PC Chassis](#)
- [Storage Kit](#)
- [Card Kit](#)
- [Custom Solutions](#)
- [Accessories](#)

Select Product

Product Matrices

- [Chassis Matrix](#)
- [Storage Kit Matrix](#)
- [Power Supply Matrix](#)
- [Motherboard Matrix](#)
- [SAS Expander Matrix](#)

Home > Products > Server/Workstation Chassis > Mid. Range Chassis > SR105

## SR105

### Main Streaming Server/Workstation Chassis



3 x 5.25" bays for ODD or storage kits

#### Features & Benefits

- For general purpose server platform
- Utilized 5.25" bay with Chenbro versatile storage kits
- Flexible configuration
- Tool-less design for easy installation
- Outstanding thermal and acoustic solution
- Optional variety bezels for server and workstation



[Product Detail](#)   [Compatible](#)   [Compare](#)   [Download >>](#)

#### Specification

##### Order Code

SR10569

##### Description

Tower Server Chassis, w/o HDD Cage, Black, Tylersburg

##### M/B Form Factor

ATX (12"x9.6")  
CEB (12"x10.5")  
EEB (12"x13")

##### Processor

Intel / AMD UP Quad  
Intel / AMD DP Quad

##### Support Backplane

Option

##### Security

Intrusion Switch  
Kensington Lock Support

##### Chassis Dimension

|                  |                      |
|------------------|----------------------|
| D x W x H (mm)   | 533 x 198 x 425 (mm) |
| D x W x H (inch) | 20.9" x 7.8" x 16.7" |

##### Power Supply

|             |                      |
|-------------|----------------------|
| Form Factor | PS/2, Mini-Redundant |
| Watt        | Option               |

##### Drive Bay

|                |            |
|----------------|------------|
| Hot-Swap 3.5"  | 4 (Option) |
| External 5.25" | 3          |
| Internal 3.5"  | 4 (Option) |

##### Generality

|                       |        |
|-----------------------|--------|
| Metal Material        | SECC   |
| Metal Thickness       | 0.8 mm |
| Plastic Material Type | ABS-HB |

##### Expansion Slots

|    |   |
|----|---|
| FF | 5 |
| FH | 2 |

##### System Cooling

|       |  |
|-------|--|
| Front | 1 x 92mm Fan (Option)<br>1 x 120mm PWM Fan |
| Rear  |  |

##### Rear Window

Standard

##### Front Panel

|               |  |
|---------------|--|
| Front Control | Power On/Off<br>System Reset<br>Alarm Mute                 |
| Indicator     | 1x Power LED<br>1x HDD LED<br>2x LAN LED<br>1x Warning LED |
| Ports         | 2x USB 2.0   |

##### Shipping Information\*

|                           |       |   |
|---------------------------|-------|---|
| Net Weight (Chassis Only) | 9 Kg  |   |
| Gross Weight (w/Packing)  | 11 Kg |   |
| Cubit Feet                | 3.15  |   |
| Container Information     | 20'   | 311 (Single Packing)<br>348 (Bulk Packing+Pallet) |
|                           | 40'   | 636 (Single Packing)<br>720 (Bulk Packing+Pallet) |
|                           | 40'H  | 752 (Single Packing)                              |

- \* Actual weight varies by configuration and manufacturing process.
- \* The specification and pictures are subject to change without notice.

### Package Contain

| Part Category | Qty. | Description                          |
|---------------|------|--------------------------------------|
| Fans          | 1    | 120mm, PWM, Two Ball Bearing, L600mm |
| Cables        | 1    | Intrusion switch, 2P2C, 1100mm       |
|               | 1    | USB2.0, 900mm                        |
| Foot Stand    | 4    | Foot Stand (BK)                      |
| Holder        | 1    | 120mm Rear Fan Holder                |
| Others        | 6    | 5.25" Device Slide Rail              |

### Optional Accessory


#### Cable

| Product   | Part. No#     | Description                        |
|---|---------------|------------------------------------|
|  | 26H113215-030 | Cable, SFF-8087 to SFF-8087, 600mm |



#### PSU Bracket

| Product | Part. No#     | Description                          |
|---------|---------------|--------------------------------------|
|         | 84H210510-013 | Bracket, PSU, SR105, C2W-5620V/5820V |

#### CPU Retaintion Kit

| Product   | Part. No#     | Description                                |
|---|---------------|--|
|  | 84H210710-025 | CPU Mounting KIT, For CEB 1.1 MB, 2pcs/set |


#### HDD Cage

| Product   | Part. No#     | Description  |
|---|---------------|--|
|   | 84H220910-062 | Non-Hotswap Cage,3.5", w/92mm Fan,BK                         |
|  | 84H220910-069 | 3.5" Hotswap HDD Cage w/4-Port SAS& SATA II BP,w/80mm Fan,BK |
|  | 84H220910-070 | 3.5" Hotswap HDD Cage w/4-Port Mini-SAS BP, w/80mm Fan, BK   |
|   | 84H220910-078 | HDD Cage, 3.5", w/6G Mini-SAS BP& 80mm Fan, Black            |
|   | 84H220910-079 | HDD Cage, 3.5", w/6G SATA BP& 80mm Fan, Black                |


#### PSU

| Product   | Part. No#     | Description   |
|---|---------------|---|
|   | 32H170007-001 | PSU, 700W, PS/2 Single, YM-8701A, EPS12V, P24/P8:500MM                                |
|   | 32H160007-001 | PSU, 600W, PS/2 Single, FSP600-80GLC  |
|  | 32H2062000202 | PSU, 620W, 1+1 Redundant, C2W-5620V, PMbus  |
|  | 32H2082000202 | PSU, 820W, 1+1 Redundant, C2W-5820V, PMbus  |
|   | 32H242002-002 | PSU, 420W, 1+1, MRW-6420P,FAN SPEED CONTROL, W/BRACKETS                               |
|   | 32H265002-010 | PSU, 650W, mini-Redundant, MRM-6650P, EPS12V, W/FAN SPEED CONTROL, W/CHENBRO BRACKET, |

#### Storage Kits

| Product   | Part. No#    | Description                              |
|---|--------------|--|
|  | SK41101H-001 | Storage Kit, 5.25" TO 3.5", Internal, BK |

Others

| Product   | Part. No#                     | Description   |
|---|-------------------------------|---|
|  | <a href="#">84H210710-047</a> | Air Duct, For 120mm Rear Fan,memory cooling,48pcs / box |

All trademarks and logos shown herein are the property of their respective owners  
Copyright © 2011 Chenbro Micom Co., Ltd. All rights reserved.

[About Chenbro](#) [Product](#) [Service & Support](#) [Newsroom](#) [Where to buy](#)